

INFORMATION

FLUTED
WALL
PANELS

WPS | WALL
PANELS
SOLUTIONS



FLUTED WALL PANEL

The wooden grid based on nano bamboo and wood fiber replaces the traditional wooden grid, which is more environmental friendly, moisture-proof and does not deform.


The traditional wooden grid will be moldy and deformed after it is used for a long time. The cost is very high and is not environmental friendly.

Now, the advantages of using nano bamboo and wood fiber material are: environmental protection, waterproof, moisture-proof, mildew proof, moth proof, no deformation, various colors, light, installed, clean, firm, durable and nice appearance.


It is very popular by lots of customers as soon as it accesses to the domestic and overseas market!

WPS

HOLLOW GRID PLATE




Name: 170 Hollow fluted wall panel




Length and width: 170*3000 (mm)
Thickness: 23.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 100 Arc fluted wall panel



Length and width: 100*3000 (mm)
Thickness: 19.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 157 Inner arc grille




Length and width: 157*3000 (mm)
Thickness: 18.5mm
Environmental protection grade: E0
Fire rating: B1




Name: 150 Arc fluted wall panel



Length and width: 150*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1




Name: 160 triangular grille



Length and width: 160*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1



Name: 115 Wave fluted wall panel




Length and width: 115*3000 (mm)
Thickness: 13mm
Environmental protection grade: E0
Fire rating: B1

WPS

SOLID GRID PLATE




Name: 153 * 24 solid fluted wall panel




Length and width: 153*3000 (mm)
Thickness: 24mm
Environmental protection grade: E0
Fire rating: B1




Name: 110 * 18 solid fluted wall panel



Length and width: 110*3000 (mm)
Thickness: 18mm
Environmental protection grade: E0
Fire rating: B1




Name: 40 Inner arc solid grille




Length and width: 40*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1




Name: 70 Inner arc solid grille





Length and width: 70*3000 (mm)
Thickness: 15mm
Environmental protection grade: E0
Fire rating: B1



Name: 120 * 9 solid fluted wall panel



Length and width: 120*3000 (mm)
Thickness: 9mm
Environmental protection grade: E0
Fire rating: B1



1. Apply structural adhesive on the back
2. Male and female slot splicing or metal clip splicing
3. Puttying and leveling

WPS

COLOUR - Metal series



COLOUR - Metal series

Thickness: 0.15mm



BJX703



BJX704

WPS

COLOUR - Wood grain series



COLOUR - Wood grain series

WALL
PANELS
SOLUTIONS

Thickness: 0.14~0.18mm



8006



81031




81033




81050



81051



8002



8066



81037



81032



8021



81017



8070



8007



8005



8008



81039



81041



81046




8058



81027



81003



8031



81009



81038

COLOUR - Wood grain series

WALL
PANELS
SOLUTIONS

Thickness: 0.14~0.18mm




81026



81012



81024



81010



8011



8032



8025



81005



81007



81013




81015




81043



8022




8014



8004



8034



8059



81011



81045



8055



8036

COLOUR - Wood grain series

WALL
PANELS
SOLUTIONS

Thickness: 0.14~0.18mm



81001



81002



81029



81030



81025



8037



81008



8045



81018



8018



8023



8035



81028



8009



8019



7001



7002




7005



7006

WPS


COLOUR - Solid color series




COLOUR - Solid color series

WALL
PANELS
SOLUTIONS


Thickness: 0.14~0.18mm




3021




3036



3001




3038




3040




3022



3041




3042




3037




3002



3023




3033



3092



3064



3026



3081



3015



3016




31005



31002



31003



31006



31007



31009



3035




3062




3030




3082




3032




3029



3061




3083




3028



3063



3003



3065

WPS



COLOUR - Cloth pattern series

Thickness: 0.14~0.16mm



6062



6063



6001



6003



6004



6005




6009



6061



6014



6065



6066

WPS




COLOUR - Stone series

Thickness: 0.16mm



5007



5004




5023



5018




5029



5003



5026




5010




5017



5020



51001



51003

WPS | WALL
PANELS
SOLUTIONS

SALES@WALLPANELSSOLUTION.COM
MERE PST 6, TALLINN, ESTONIA